| | Application No. | Applicant(s) |
|--|---|---------------------------------|
| Notice of Allowability | 10/685,911 | OHWE, TAKESHI |
| | Examiner | Art Unit |
| | David D. Davis | 2627 |
| | David D. Davis | 2021 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to the amendment received April 4, 2006. | | |
| 2. The allowed claim(s) is/are 1-6, 12 and 13 renumbered 1-8 respectively. | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. | | |
| Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | 5 D Nation of Information | and Application (DTO 450) |
| Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) | Interview Summary Interview Summary | atent Application (PTO-152) |
| <u> </u> | Paper No./Mail Dat | te |
| Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date | 98), 7. 🛭 Examiner's Amendr | nent/Comment |
| Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. ⊠ Examiner's Stateme | Pavid D. Davis |
| | | Primary Examiner Art Unit: 2627 |

Application/Control Number: 10/685,911

Art Unit: 2627

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

The application has been amended as follows:

Claims 7-11 have been cancelled.

2. The following is an examiner's statement of reasons for allowance: regarding claims 1

and 12, the primary reason for allowance is the inclusion of the limitation "said pads that are

formed on said front rail have . . . said first height to said second height with a given inclination

angle such that the upstream end of said inclined upper end surface is higher in level than the

downstream end".

As stated by applicant, the combination of the applied prior art would result in the pads

being formed on the front rail also having an inclined surface that is lower at the upstream than

the downstream end. "In contrast, the claimed pads of the present invention that are formed on

the front rail have inclined surface which is <u>higher</u> at the upstream end than the downstream

end."

3. Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Page 2

Art Unit: 2627

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David D. Davis whose telephone number is 571-272-7572. The examiner can normally be reached on Monday thru Friday between 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dwayne D. Bost can be reached on 571-272-7023. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David D. Davis Primary Examiner Art Unit 2627

ddd